

RESOLUTION NO. 2022-130

RESOLUTION AUTHORIZING THE VILLAGE OF CALEDONIA TO PURCHASE A TYPE I AMBULANCE AND LIFEPAK 15 MONITOR & AMEND BUDGET TO ACCEPT FLEX GRANT FUNDS AND FOR LIFEPAK PURCHASE

WHEREAS, As a portion of the Fire Department’s Capital Improvement Plan, the Village Board approved a \$315,000 expenditure to purchase a Type I Ambulance with Ford F450 Chassis as a part of the 2022 & 2023 budgets.

WHEREAS, In accordance with Village expenditure ordinance, the fire department has sought and received multiple quotes for the ambulance purchase, with the lowest at \$315,928, from Jefferson Fire & Safety shown in **Exhibit A**.

WHEREAS, The fire department has applied for, and received, a State of Wisconsin one-time flexible spending grant in the amount of \$67,535 specifically earmarked to support the purchase of a 2023 Type I Ambulance with Ford F450 Chassis.

WHEREAS, The fire department feels that the purchase of an additional Lifepak 15 V4 Cardiac monitor/defibrillator is essential to ensure that all Caledonia ambulances are similarly equipped and operationally ready and is in the best interest in service to our residents.

WHEREAS, The fire department has received a quote for the Lifepak 15 V4 unit and associated equipment for \$36,254. The Fire Department has 4 Lifepak units currently and this would outfit the reserve unit. **Exhibit B**


WHEREAS, the 2023 budget will need to be revised to reflect the flex grant revenue of \$67,535 and the additional expense of \$36,254 for the Lifepak 15 V4.

WHEREAS, the Village Finance Committee has reviewed this request and recommends that the Village Board authorize the procurement the Type I Ambulance & Chassis from Jefferson Fire & Safety, the procurement of the Lifepak unit from Stryker, acceptance of the Flex Grant from State of Wisconsin, revise account 400-00-43200, Grants by \$(67,535) and account 400-35-65030, Fire – Equipment by \$36,254 as outlined in fiscal note **Exhibit C**.

NOW, THEREFORE, BE IT RESOLVED by the Caledonia Village Board that the authorize staff to purchase a Type I Ambulance with Ford F450 Chassis for \$315,928 from Jefferson Fire and purchase a Lifepak 15 from Stryker for \$36,254 and make the necessary amendments to the 2023 budget.

Adopted by the Village Board of the Village of Caledonia, Racine County, Wisconsin, this 19 day of December 2022.

VILLAGE OF CALEDONIA

By: 
James R. Dobbs, Village President

Attest: 
Joslyn Hoeffert, Village Clerk

VILLAGE OF CALEDONIA

FISCAL NOTE: AUTHORIZE PURCHASE OF TYPE I AMBULANCE AND LIFEPAK 15 MONITOR

FISCAL YEAR: **2023**

ACCOUNT NAME	ACCOUNT NUMBER	CURRENT BUDGET	YEAR TO DATE EXPENDITURES	CURRENT BALANCE	BUDGET MODIFICATION	BUDGET AFTER MODIFICATION	REMAINING BUDGET BALANCE
DEPARTMENT: FIRE DEPARTMENT							
Capital Projects Fund: Bond Proceeds	400-00-49100	\$ 849,650	\$ -	\$ 849,650	\$ (31,281)	\$ 818,369	\$ 818,369
Capital Projects Fund: Grant Revenue	400-35-43200	\$ -	\$ -	\$ -	\$ 67,535	\$ 67,535	\$ 67,535
Capital Projects Fund: Equipment*	400-35-65030	\$ 315,000	\$ -	\$ 315,000	\$ 36,254	\$ 351,254	\$ 351,254
		<u>\$ 1,164,650</u>	<u>\$ -</u>	<u>\$ 1,164,650</u>	<u>\$ -</u>	<u>\$ 1,237,158</u>	<u>\$ 1,237,158</u>

* - The Equipment fund account balance includes the carryover amount of \$149,000 from 2022 for the Ambulance purchase.



LP15 Quote

Quote Number: 10611157

Remit to: Stryker Medical
P.O. Box 93308
Chicago, IL 60673-3308

Version: 1
Prepared For: CALEDONIA FIRE DEPT
Attn:

Rep: Alex Yde
Email: alex.yde@stryker.com
Phone Number:

Quote Date: 11/15/2022
Expiration Date: 02/13/2023

Delivery Address		End User - Shipping - Billing		Bill To Account	
Name:	CALEDONIA FIRE DEPT	Name:	CALEDONIA FIRE DEPT	Name:	CALEDONIA FIRE DEPT
Account #:	1081072	Account #:	1081072	Account #:	1081072
Address:	6900 NICHOLSON RD CALEDONIA Wisconsin 53108	Address:	6900 NICHOLSON RD CALEDONIA Wisconsin 53108	Address:	6900 NICHOLSON RD CALEDONIA Wisconsin 53108

Equipment Products:

#	Product	Description	Qty	Sell Price	Total
1.0	99577-001957	LIFEPAK 15 V4 Monitor/Defib - Manual & AED, Trending, Noninvasive Pacing, SpO2, SpCO, NIBP, 12-Lead ECG, ETCO2, BT, Incl at N/C; 2 pr QC Electrodes (11996-000091) & 1 Test Load (21330-001365) per device, 1 Svc Manual CD (26500-003612) per order	1	\$30,990.77	\$30,990.77
2.0	41577-000288	Ship Kit -QUIK-COMBO Therapy Cable; 2 rolls100mm Paper; RC-4, Patient Cable, 4ft.; NIBP Hose, Coiled; NIBP Cuff, Reusable, adult; 12-Lead ECG Cable, 4-Wire Limb Leads, 5ft; 12-Lead ECG Cable, 6-Wire Precordial attachment	1	\$0.00	\$0.00
3.0	11140-000098	LP15 AC Power Adapter (power cord not included)	1	\$1,504.50	\$1,504.50
4.0	11140-000015	AC power cord	1	\$72.75	\$72.75
5.0	21330-001176	LP 15 Lithium-ion Battery 5.7 amp hrs	2	\$432.75	\$865.50
6.0	11171-000082	Masimo RC Patient Cable - EMS, 4 FT.	1	\$219.00	\$219.00
7.0	11171-000049	Masimo Rainbow DCI Adult Reusable SpO2, SpCO, SpMet Sensor, 3 FT. For use with RC Patient Cable.	1	\$560.25	\$560.25
8.0	21300-008159	LIFEPAK 15 NIBP Straight Hose, 6'	1	\$63.75	\$63.75
9.0	11160-000013	NIBP Cuff-Reusable, Child	1	\$23.25	\$23.25
10.0	11160-000017	NIBP Cuff -Reusable, Large Adult	1	\$32.25	\$32.25
11.0	11577-000002	LIFEPAK 15 Basic carry case w/right & left pouches; shoulder strap (11577-000001) included at no additional charge when case ordered with a LIFEPAK 15 device	1	\$294.75	\$294.75
12.0	11220-000028	LIFEPAK 15 Carry case top pouch	1	\$53.25	\$53.25
13.0	11260-000039	LIFEPAK 15 Carry case back pouch	1	\$75.75	\$75.75



LP15 Quote

Quote Number: 10611157

Version: 1
Prepared For: CALEDONIA FIRE DEPT
Attn:

Remit to: **Stryker Medical**
P.O. Box 93308
Chicago, IL 60673-3308
Rep: Alex Yde
Email: alex.yde@stryker.com
Phone Number:

Quote Date: 11/15/2022
Expiration Date: 02/13/2023

#	Product	Description	Qty	Sell Price	Total
14.0	11996-000471	4G Modem; Verizon Cellular (for use on Stryker data plan; purchased separately)	1	\$1,053.75	\$1,053.75
Equipment Total:					\$35,809.52

ProCare Products:

#	Product	Description	Qty	Sell Price	Total
15.0	78000168	KORE - Stryker data plan for modem (Verizon)	1	\$331.55	\$331.55
16.0	78000171	LIFENET Asset, per device	1	\$113.05	\$113.05
ProCare Total:					\$444.60

Price Totals:

Estimated Sales Tax (0.000%):	\$0.00
Freight/Shipping:	\$538.76
Grand Total:	\$36,254.12

Prices: In effect for 30 days

Terms: Net 30 Days

Contact your local Sales Representative for more information about our flexible payment options.

Capital Terms and Conditions:

Deal Consummation: This is a quote and not a commitment. This quote is subject to final credit, pricing, and documentation approval. Legal documentation must be signed before your equipment can be delivered. Documentation will be provided upon completion of our review process and your selection of a payment schedule. Confidentiality Notice: Recipient will not disclose to any third party the terms of this quote or any other information, including any pricing or discounts, offered to be provided by Stryker to Recipient in connection with this quote, without Stryker's prior written approval, except as may be requested by law or by lawful order of any applicable government agency. A copy of Stryker Medical's Acute Care capital terms and conditions can be found at https://techweb.stryker.com/Terms_Conditions/index.html. A copy of Stryker Medical's Emergency Care capital terms and conditions can be found at <https://www.strykeremergencycare.com/terms>.



LIFE LINE

EMERGENCY VEHICLES

AMBULANCE QUOTE

Village of Caledonia
 Jason Schuls
 5043 Chester Ln
 Racine, WI 53402
 bcjschuls@caledonia-wi.gov

Jefferson Fire & Safety Inc
 Rob Little
 7617 Donna Drive
 Middleton, WI 53562
 rob@jeffersonfire.com

Exp. Date: 12/30/2022
 Quote No: 10882-0003
 BODY: SUPER D

Caledonia Fire Department
 167" SUPERLINER TYPE I

12/12/2022

PART NO	S	DESCRIPTION	QTY
		== 167" SUPERLINER TYPE I - 1.000 04/03/13 ==	
		MASTER PARTS REVISION DATE (Start 10-03-22 to 01-10-23)	
00-00-0500	<	LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated LL Paint Warranty Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10%	1
00-00-0700	<	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: Draft Work Order Process Date: 1st Dealer Draft Date:	1

PART NO	S	DESCRIPTION	QTY
		Final Dealer Draft Date: Sign-Off Date: Parts/Drafting/Paint: Shop Release Date: SFD:	
00-00-0800	<	Customer Contact Person (Required For Factory Use) Specify Name And Number: Battalion Chief Jason Schuls bcjschuls@caledonia-wi.gov Caledonia Fire Department 6900 Nicholson Rd Caledonia, WI 53108	1
00-00-2100	<	Sales Rep: Rob Little 1-608-723-9126 Jefferson Fire & Safety, Inc.	1
00-00-FL00	S	Fill Unit With Fuel For Delivery (Charge To Dealer Account) < > Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number: T.B.A. If Available.	1
00-00-FN00		FOR GPC REBATE OF \$3000 HAS BEEN DEDUCTED FROM THIS QUOTE, THE GPC REBATE IS SUBJECT TO CHANGE QJ132 (VILLAGE OF CALEDONIA)	1
00-00-PU00	<	Specify Previous Unit Number: (FACTORY USE ONLY) 499020SD1	1
00-02-1000	S	***BODY STYLE*** < > 167" x 96" SUPERLINER TYPE I PASS-THRU (F-450/550 OR DODGE) Call For Factory Approval Before Customer Quote. Call For Chassis Pricing.	1
10-00-0100		***CHASSIS*** Chassis VIN Number: (FACTORY USE ONLY)	1

PART NO	S	DESCRIPTION	QTY
10-00-4900	S	<p>< > 2023 Ford F-450 193" W.B. 16,500 GVWR 4 WD Cab/Chassis Includes the standard Ford O.E.M. 3 year/36,000 mile warranty.</p> <p>CHASSIS PRICING SUBJECT TO CHANGE WITHOUT ANY NOTICE BY FORD.</p>	1
10-00-5310	S	<p>< Order Ford Chassis with OEM Aluminum Wheels ILOS Steel Wheels This option ordered with the chassis.</p>	1
10-00-5401	S	<p>< Ford XLT (17V) Value Package Ford XLT value package (17V)</p> <p>Includes: -Auto lock/unlock -Power adjustable pedals -Eight-way powered driver's seat -Securi-Code keyless entry keypad on the driver's side.</p> <p>Final Price T.B.D.</p>	1
10-00-6050	<	<p>> Liquid Spring Suspension Kit For Ford F-450 ALL WARRANTY ISSUES/CLAIMS GO TO THE INSTALLER. Mount the controller left of the steering column on OEM dash.</p>	1
10-01-3400	<	<p>**FACTORY USE ONLY** Spare Chassis Keys And Owner's Manual Present.</p>	1
10-01-8000	>	<p>Delete Standard Wheel Covers</p>	1
10-01-9500	>	<p>Ship The Spare Tire Loose</p>	1
10-02-1200	<	<p>F-Series O.E.M. Door Mirrors Dual Arm Power/Heated Trailer Tow Mirrors.</p>	1
10-02-3500		<p>O.E.M. Radio W/Cab Speakers</p>	1
10-02-5000		<p>Low Voltage Throttle Manager</p>	1
10-02-5700	<	<p>Hand Held Cab Spot Light 12 volt outlet included. Specify location for the outlet. Behind the drivers cab seat.</p>	1
10-03-0000	S	<p>< > Large Custom Floor Console Top Flat Area: * Air Horn Button, Driver Side. * Suspension Light. Centered. Angled Portion: * Elite Touch Screen. Driver Side as high on angled area as possible. * Siren. (driver side)</p>	1

PART NO	S	DESCRIPTION	QTY
10-03-8200	<	<p>* Traffic Advisor, under Siren. * Tire Pressure Monitor To The Right Of The Siren And Traffic Advisor. Flat Portion For (3) Map Slots.</p> <p>THERE WILL BE NO CUP HOLDERS IN THE CONSOLE, WILL NEED ADDITIONAL ROOM ON THE ANGELED FACE THEREFORE WE ARE DELETING THE CUP HOLDERS.</p> <p>Add a full ABS panel on angled portion of the console.</p> <p><i>Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light</i> Wire Circuit To Auto Dump From The Secondary Rear Door Switch. Includes: ON/OFF Safety Switch On Inner Primary Rear Door Panel. Includes #E24072 Stainless Safety Guard Around Switch. Whelen Red "OS" System Dumped Warning Light On Front Console, top flat area, centered.</p>	1
10-03-9600	S	<p>< > <i>3 Delco #1150 (700 CCA) Group 31 Batteries</i> SLIDE OUT P-2 BATTERY TRAY WILL HAVE THREE GROUP 31 BATTERIES.</p> <p>NOTE: THIS P2 AREA IS SLIGHTLY WIDER TO ACCOMODATE 3 BATTERIES.</p>	1
10-04-3500 10-DL-0200	S	<p><</p> <p>Owner's Manual (1 Included With Unit)</p> <p><i>Tire Pressure Monitoring System</i> Tire Pressure monitoring system is the Pressure Pro Pulse. Monitor. This kit includes the following: - #PPMA/PLS-100 Pulse Monitor. Surface mounted to the right of the siren and traffic advisor. - PLS-200P Pulse fixed end power cord - PLS-850K antenna cable kit w/SMA connection - (6) Wheel Sensors PN# SEN-200 B.0 Note To Parts: Kit Only comes with (4) Sensors need to order (2) additional sensors.</p> <p>Front Wheels - the sensors will screw directly on to the valve stem. Rear outer Tandem tire - the sensors will screw directly onto the valve stem. Rear inner Tandem tire - a whip extension(hose extender) and "L" bracket will need to be furnished to bring the sensor to the outside tire lug nut, and then can screw on to the valve stem extension.</p> <p>Valve extenders on inner duals. "L" bracket is PN# VBK-L supplied by Life Line.</p>	1 1

PART NO	S	DESCRIPTION	QTY
MODULAR BODY TYPE I			
15-01-1600	<	> <i>Federal K-Spec Package</i> Includes 2-5# Fire Extinguishers. Ship Loose. Oxygen Wrench. Ship Loose.	1
15-01-5000	>	<i>Standard 72" Finished Headroom</i>	1
15-01-9005		<i>Cab To Module Sliding Pass-Thru Window</i>	1
15-02-0000		<i>Standard Perko Body Intake And Exhaust Vents (3-STD)</i>	1
15-02-1600	<	> <i>1 Piece Stainless Steel Wheel Well Trim Rings (Small)</i> 18.75" radius for Ford F-Series. #F04200.	1
15-02-2500		<i>Standard Cast Fuel Fill Housing</i>	1
15-02-2605	<	> <i>Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well</i> Mounted on the street side of the body in front of the wheel well.	1
15-02-3220	>	<i>Shoreline Cover Plate Painted & Mounted to Module Body (Ea)</i>	1
15-DL-9902	>	<i>Standard 3" Lowered Front Body Skirts F-Series & Dodge</i> ***MODULE DOORS AND WINDOWS***	1
20-00-0100	<	> <i>2 Red Reflectors On Each Module Entry Door</i> One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500	<	> <i>Combination Extruded/Pan Formed Module Entry Doors</i> With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate.	1
20-01-0000	<	> <i>Full Height Side Entry Door With Gas Style Hold-Open</i> Position The Hold-Open At 90 Degrees. Identified as P-3. NARROWER SIDE ENTRY DOOR.	1
20-01-1000		<i>Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape</i>	1
20-01-2500	<	> <i>Sliding Side Entry Door Window (Standard Tint)</i> Sliding Window With Screen.	1
20-01-3500		<i>Rear Doors With Grabber Style Hold-Opens</i>	1
20-01-5000	>	<i>Fixed Rear Entry Door Windows (Standard Tint)</i>	1
20-01-9000	<	> <i>Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea)</i> Specify Deletion Location: Side and Rear Entry Doors.	3
20-02-0000		<i>Tri-Mark 030-18 Free Float Handles with Chrome Exterior and Black Pocket</i>	1

PART NO	S	DESCRIPTION	QTY
20-02-1500		Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600		Secondary Door Release Latches On All Entry Doors	1
20-02-2500		Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500		Cage Nuts On All Door Panels	1
20-02-4000		Polished Diamond Plate Lower Module Entry Door Trim Panels	1
20-02-6000	< >	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD.	1
EXTERIOR COMPARTMENTS			
25-00-0100	<	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
25-00-0200	<	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door.	1
25-00-0500	<	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors.	1
25-00-0600		Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000		Magnetic Compartment Door Switches	1
25-01-1000		Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	< >	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard. The Standard Light Lengths Used Are: 18" E22140 31.5" E22141 54" E22145 72" E22149	1
25-01-3300		Black Texture Coated Aluminum Exterior Compartment Vents	1
25-01-5000	S <	1 Fixed And 1 Adjustable IS/OS Compartment PVC Shelves (1) Adjustable In The Upper Section. Inside Access Only.	1

PART NO	S	DESCRIPTION	QTY
25-04-3000	< >	<i>Delete Superliner Curbside Front Backboard Compartment</i> Specify Alternate Backboard Compartment: P-4.	1
25-04-4000	S <	<i>Half Height Superliner Curbside Front Compartment</i> P-1 Compartment. The inside of this compartment will not have inside access. Customer will use this section for turnout firefighter gear. Please vent to the outside (wall #3) to allow smell of smokey gear to not enter the patient compartment. Vent like previous #4990	1
25-04-7500	S <	<i>Vortex Lined Walls In Compartment</i> Specify Color: STD GRAY. P-1 Compartment. EXTERIOR ACCESS ONLY COMPARTMENT.	1
25-04-8000	<	<i>Superliner Curbside Front Battery Compartment</i> P-2 Compartment. NOTE: Slightly wider than previous to accommodate 3 batteries.	1
25-05-3000	< >	<i>Superliner Curbside Rear Backboard Compartment</i> P-4 Includes Fixed Vertical Divider. Install The Vertical Divider From Bottom Of Notch To The Floor. Compartment Is Notched For Interior Cabinet Design. LOWER DOOR SO THAT BOARDS CAN'T FALL OUT WHEN UNSTRAPPED. USE A 2" STRAP FROM WALL 1 TO THE DIVIDER. THIS STRAP WILL BE PLACED AT 1/2 HEIGHT OF THE DOOR OPENING. SPECIAL NOTE: THIS COMPARTMENT IS TO BE DEEP ENOUGH FOR A STAIR CHAIR.	1
25-05-3500	<	<i>Superliner Full Height Streetside Front Compartment</i> D-1 Compartment.	1
25-05-4500	<	<i>Superliner Streetside Front Single Door Intermediate Comp</i> D-2 Compartment.	1
25-05-9000	<	<i>3/4 Height Single Door Streetside Rear Compartment</i> D-3 Compartment.	1
25-11-8000	< >	<i>Diamond Plate Adjustable Shelf W/ Ribbed Rubber Matting</i> (Ea) Diamond Plate With Standard 2" Lips.	1

PART NO	S	DESCRIPTION	QTY
		Specify Compartment: (1) D3 - LOWER SECTION.	
25-12-1000	<	<i>Fixed .125" Vortex Covered Aluminum Vertical Divider (Ea)</i> Specify Compartment: (1) D1 - FORWARD OF O2 BRACKET. Similar to 4990	1
25-12-9000	<	<i>Black Dri-Dek On Compartment Floor (Each)</i> Specify Compartments: P1, P4, D1, D2, D3.	5
25-13-6500	<	<i>Split Level Compartment Depth Design (Ea)</i> Specify Compartment: (1) D3 Compartment Upper 1/3 Section To Be 10" Deep.	1
25-CS-0500	S < >	<i>Install Dealer Supplied S.C.B.A. Bracket (Ea)</i> Specify Compartments: (1) P-1, Wall #2 Centered. (1) Upper section of D-3, Centered. (1) D-2, On Wall #2 Right Side, Closer to Wall 3, but leave room for air pack itself. Specify S.C.B.A. Brand: SCOTT Specify Tank Pressure Rating: 4500 PSI Specify Tank Minute Duration: 45 MINUTES NOTE TO PRODUCTION: THESE BRACKETS WILL HOLD THE ENTIRE AIRPACK, NOT JUST THE BOTTLES. LEAVE ROOM FOR COMPLETE PACK. THESE LOCATIONS WILL NEED THE APPROPRIATE WALLS PLATED. Similar to 4990 Life Line Installed/ Dealer Supplied.	3
25-CS-0510	<	<i>Custom Compartment Notch (ea)</i> Specify Compartment: P-4 For Interior Cabinet Design.	1
		REAR STEP AND BUMPER ASSEMBLY	
30-01-0500	<	<i>STD Rear Bumper With Rubber Dock Option</i> Standard Rear Bumper With Rubber Dock Bumper Option. Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	1
30-01-3500	>	Full Width Diamond Plate Rear Kick Plate	1

PART NO	S	DESCRIPTION	QTY
IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD			
35-01-0000	<	<i>One Piece Body Side Panels With Aluminum Lower Impact Rails</i> Includes Lower Impact Rails Only.	1
35-01-2000	>	Diamond Plate Running Boards	1
35-01-7100	<	<i>Whelen 2G 4" Round L3 Intensity Grommet Mounted Running Board Lights (Pr)</i> Lights Are Mounted With 2GROMMET Grommets.	1
35-01-7500	>	<i>Rear Mud Flaps With Metal Stabilizers</i>	1
35-01-9000		Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-2500	<	<i>36" High Front Stone Guards</i> With Sealed Top Edge.	1
ELECTRICAL SYSTEM			
40-00-0550	<	<i>Elite G3 Touch Screen Electrical System</i> Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches (1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location Is The R.F.S. Cabinet. Includes Stainless Guards around the switches. #E24072. (1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator. (3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. Dealer To Specify Location: Auxiliary Electrical Cabinet. (1) Back-Up Camera (ASA VCMS20). White. NOTE: BACK UP ALARM WILL NOT HAVE A CANCEL OPTION Streetside Dome Lights On Low With Entry Door. (On High Is Not An Option)	1
40-01-0100	<	<i>Move Rear Switch Panel To The Curbside Wall</i> Specify Mounting Location: Angled cabinet below the head end of the bandage cabinet.	1
40-01-0410	<	<i>Additional Carling Switch (ea)</i> Specify Location: Primary Rear Entry Door. Specify Functions: Rear Scene Lights Disable.	1
40-01-0430	<	<i>Stainless Steel Guard For Carling Switch (ea)</i> LL# E24072	1

PART NO	S	DESCRIPTION	QTY
		Specify Location: Primary Rear Entry Door For The Rear Scene Lights Disable Switch.	
40-01-2000	<	Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm. Note: THERE WILL BE NO CANCEL OPTION.	1
40-01-5000	< >	Super Auto Eject Shoreline - 20 Amp Specify Location: ABOVE D2 Painted Shoreline Plate #LL1601. Specify Inlet Cover Color: WHITE SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 115 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment. PROVIDE (2) ADDITIONAL SHORELINE PLUGS WITH COMPLETED VEHICLE.	1
40-01-6900	S <	**FACTORY USE ONLY** (2) Shoreline Inlet Adapter Plus Present.	3
40-01-9500	>	IOTA DLS-45 Battery Charger	1
40-03-0000	<	Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit. Note: Load Center Breaker #2 Requires GFI Type.	1
40-03-2000	<	R.F.S. Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet Mounted In The UPPER Section On Wall #1. Full Time Hot Circuit.	1
40-03-5500	<	Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Locations: (1) Right side of the drawer at the head end of the curbside squad bench. (1) Behind the drivers seat base, IATS. (1) R.F.S. upper section, just below the standard USB/12 volt outlet.	3
40-03-6000		Action Area 125 Volt Standard Style Hospital Grade Outlet	1
40-03-7000	<	R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet	1

PART NO	S	DESCRIPTION	QTY
		Mounted In The UPPER Section On Wall #1.	
40-03-8500	<	Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Locations: (1) Right Side Of The Drawer At The Head End Of The Curb Side Squad Bench. (1) Behind The Driver's Seat Base. Install in an exterior grade outlet box with flip covers.	2
40-04-4000		> Power Door Locks For Side Entry & Rear Entry Doors	1
40-04-5500	S	> Hidden Switch In Grille For Power Door Locks (Unlock Module Only)	1
40-04-7000	S	< Interior Body Switch For Module Power Door Locks (Ea) Specify Location; Curb side wall near the side entry door above headend squad bench work cabinet. Similar to #4990.	1
40-05-0500	<	2 Kenwood Speakers Mounted In The Ceiling Center Strip Volume Control Mounted In The Street Side Action Area. KFC-1366S Speakers.	1
40-06-1000	< >	Dometic Coolmatic Electric Refrigerator Freezer - SC/DC -1.6C/F - 12/120 Volt CRX-1050U/F Specify Location: LOWER WALK THRU CABINET. Not intended for Drug Storage MANUFACTURER WARRANTY ONLY APPLIES.	1
INTERIOR LIGHTING			
45-01-0000		Oxygen Compartment Light	1
45-01-0500		Side Entry Door Stepwell 3" Round LED Light	1
45-01-1510	<	8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With Chrome Trim 4-Streetside 4-Curbside TecNiq# E08-LC00-1	1
45-01-3000		TecNiq LED Action Area Light	1
45-01-5510	< >	6 - 3" Round Super-LED Surface Mounted Lights Down Center Strip Whelen Part #3SC0CDCR With #3FLANGEC Chrome Flange With Gasket.	1
45-02-3000	<	Brake Light Mounted On The Rear Head Cushion (Ea) Mount on each side Of The Rear Head Cushion. Similar to #4990. ("OS" Series Red LED).	2

PART NO	S	DESCRIPTION	QTY
45-02-4000	<	Rear Turn Lights Mounted On The Rear Head Cushion (Pr) Mounted On Each Side Of The Rear Head Cushion. ("OS" Series Amber LED).	1
EXTERIOR LIGHTING			
50-01-0001	<	Whelen M6 Series "LED" Stop/Tail Lights (Pr) #M6BTT Mounted Above The Rear Kick Plate.	1
50-01-6001	<	Whelen M6 Series "LED" Amber Turn Lights (Pr) #M6T Mounted Above The Rear M6 Series LED Stop/Tail Lights. They shall be programmed to flash sequentially in the direction of the arrow.	1
50-02-7000	< >	Whelen M6T Series "LED" Amber ArrowTurn Light IATS (Pr) Specify Location: Programmed To Flash Sequentially In The Direction Of The Arrow.	1
50-02-9000	>	C.P.I. License Plate Housing	1
50-02-9501	<	Whelen M6 Series LED Back-Up Lights (Pr) #M6BUW Mounted Above The Rear Turn Lights Unless Otherwise Specified.	1
50-02-9510	S	DELETE LINE	1
50-03-4902		Whelen Two Reverse Activated M7ZC LED Rear Load Lights	1
50-03-8401		Whelen M9LZC Side Scene Lights (Two Each Side)	1
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1
50-04-7500		> Federal Commander COM1 "LED" ICC Marker Lights	1
50-04-8000	<	Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail. Mid Sections To Be Wired Thru The Brake Light Circuit.	1
	<	***RADIO PROVISIONS AND AIR HORNS*** Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start date.	
55-01-3040	< >	(2) 21" AHT Air Horns Mounted Thru Bumper Valance F-Series w/Comp Includes: LL# F15011 Standard Duty Compressor Specify Compartment For Compressor Location: D2, Upper Left Hand Corner. NOTE: There Is An Additional Charge If The Compressor Is Not	1

PART NO	S	DESCRIPTION	QTY
		<p>Mounted In A Compartment. Mesh Cover Over Pump One Standard Frame Mounted Air Tank (2) LL# F15005 21.5" Grover Stuttertone Air Horns Push Button on front console, top flat section, driver side.</p>	
55-01-8500	<	<p><i>KE-794 Antenna Base With Coax</i> Specify Termination Location: (1) Mid-Front Module Roof To The Auxiliary Electrical Cabinet.</p> <p>Coil, Zip Tie & Tag. Include rain caps on all module roof antenna bases.</p>	1
55-02-1100	<	<p><i>Install Customer Supplied Module Roof Antenna(Ea)</i> Specify Termination Location: (1) FRONT CORNER ABOVE D1 TERMINATE IN AUX ELECTRICAL. ANTENNA - AIRGAIN ULTRAMAX MIMO AP-CCWG-Q-S2222-RP3-BL.</p> <p>Coil, Zip Tie & Tag.</p>	1
55-02-5500	< >	<p><i>Radio Pre-Wire Power And Ground 20 AMP Or Less Circuit (Ea)</i> Full Time Power And Ground And Ignition On Circuits. Butt Splice Termination Points. Specify Termination Locations: (1) FRONT CONSOLE. (1) ACTION AREA BEHIND REMOVABLE PANEL.</p>	2
55-DL-0100	S	<p>< <i>Install Customer Supplied Tri Band Antenna On CPI Pod</i> (1) Install Customer Supplied Tri Band Antenna On CPI Pod - Instead of installing a customer supplied Tri Band Antenna on the light bar pod install a Life Line KE-794 Antenna. Include rain cap on this antenna base.</p> <p>Install on short light bar pod below Light #2 and #3. Part # CPI # LB0031-1.</p> <p>NOTE TO PRODUCTION: They need the 'whip' part above the box, but not the rigid base. Basically the base needs to be only a minimum of 9" below the roof line. Ref. 4990</p> <p>Coil, Zip Tie & Tag. See 85-DL-0100 for Painting Option.</p>	1
	S	<p>< ***SIRENS AND EMERGENCY LIGHTING*** ALL WARNING LIGHTS WILL REMAIN ON IN BOTH PRIMARY AND</p>	

PART NO	S	DESCRIPTION	QTY
		SECONDARY MODES EXCEPT FORWARD FACING CLEARS WILL SHUT OFF IN SECONDARY.	
60-01-1000		< > <i>Standard Siren Whelen 295HFS2 Siren System</i> THIS IS A SINGLE AMP SIREN. MEETS 49 STATE REQUIREMENTS. Mount the siren head on front console below the Elite Touch Screen, Driver Side.	1
60-01-4500		< > <i>Federal Signal ES100C Behind Bumper Siren Speakers (F-Series)</i> Mounted Behind Bumper Wings "F" guard Cover Included	1
60-01-9001		< > <i>4 Whelen M9 Series "LED" Side Module Warning Lights</i> Part # M9R Mount The Side Lights Inline. Model # ILOS: Specify KKK Or Comet Flash Pattern: MODUFLASH	1
60-02-5000		<i>Delete The 2 Standard Front Module Warning Lights (Credit)</i>	1
60-02-8100		<i>Delete The Standard Center Front Module Warning Light (Credit)</i>	1
60-03-2500		<i>Delete The 2 Standard Rear Warning Lights (Credit)</i>	1
60-04-4500		<i>Delete The Standard Rear Center Warning Light (Credit)</i>	1
60-04-5295		< > <i>2 Whelen M2 Series "LED" Grille Lights (Type I)</i> Part #M2R Model # ILOS: Specify KKK Or Comet Flash Pattern: MODUFLASH	1
60-05-0494		< > <i>2 Whelen M7 Series "LED" Intersection Lights (Type I)</i> Part #M7D Model # ILOS: Specify KKK Or Comet Flash Pattern: MODUFLASH	1
60-05-0500	S	> <i>DELETE LINE</i>	1
60-06-6001		< > <i>2 Whelen M7 Series "LED" Rear Wheel Well Lights</i> Specify Whelen Light Number: M7R Specify KKK Or Comet Flash Pattern: MODUFLASH	1

PART NO	S	DESCRIPTION	QTY
60-07-1530	< >	<p>7 Whelen M9 Series "LED" Front Module Warning Lights Clear Lens Specify Whelen Part #: (5) #M9RC - Red with Clear Lens. Positions 1,2,4,6,7. (2) #M9C - White with Clear Lens. Positions 3,5. LAYOUT TO BE ON FRONT WALL - R/R/C/R/C/R/R. Modu Flash Pattern: Specify KKK Or Comet Flash Pattern: MODUFLASH</p>	1
60-09-0495	<	<p>Tomar Traffic Pre-Emption Strobe with Power Supply (1) RECT-37S Clear Light (1) E23223 Chrome Bezel (1) 401-1228-PREHI Emitter Power Supply. Mounted under center light on front wall.</p>	1
60-10-0001	<	<p>Whelen M7 Red Or Amber Or Blue Or Clear "LED" Light (Ea) Specify Color: Specify Location: Rear Of Module. (5) #M7A - Amber with Amber Lens. Posltions 1,3,4,5,7. These (5) wired thru traffic advisor controller. Specify Location: Rear Window Level Lights. (4) #M7R - Red with Red Lens. (2) Mounted To Show Thru The Streetside Rear Window Level. Flashing Together And Opposite Curbside Window Lights. (2) Mounted To Show Thru The Curbside Rear Window Level. Flashing Together And Opposite Streetside Window Lights. Pri/Sec Switch. Comet Flash Pattern Through The Elite Screen. Set To Steady.</p>	9
60-DL-0100	S	<p>< Whelen TACTL5 Controller Specify Custom Option: INSTALL WHELEN TRAFFIC ADVISOR CONTROLLER FOR THE (5) REAR AMBER LIGHT HEADS AND MOUNT BELOW THE SIREN CONTROL HEAD ON THE FRONT CONSOLE. NOTE: Traffic Advisor shall power on with Emergency Master. There shall be a switch on the HED screen for the Traffic Advisor that turns on With Emergency Master. < ***PATIENT COMPARTMENT*** NOTE: FRONT BULKHEAD WALL AROUND PASS THROUGH WILL NEED TO BE REINFORCED FOR INSTALLING FLASHLIGHTS AND PORTABLE RADIOS.</p>	1

PART NO	S	DESCRIPTION	QTY
65-00-9900	<	SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
65-01-3000	<	1/4" Clear Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim.	1
65-02-2240	< >	"Dealer/Customer Supplied Package" Stryker Power or Performance Load System INSTALL DEALER SUPPLIED POWER LOAD. Will Be Center Mounted Unless Otherwise Specified Includes: Floor Structure - Tapping Blocks Life Line Supplied Floor Plate Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by Shoreline or Battery on Power. The Power And Ground Is Run To Inside The Track, Or To Trolley If Supplied. Complete 6390 Power or 6392 Performance Load System Installed Be sure to leave main power switch In the off position. Does NOT include cot. Includes Std. Life Line Push Rail Floor Mount Stryker Part# 6390-30-11 Does Not Include Push Rail.	1
65-02-8000	<	L.R.O. Cabinet With Speed Load Door With Positive Lock Feature. Includes (1) Adjustable PVC Shelf.	1
65-03-3500	<	Cabinet Above The Side Seat With Speed Load Door With Positive Lock Feature. This is a two section cabinet.	2
65-03-7500	<	L.F.O. Cabinet With Speed Load Door With Positive Lock Feature. Includes (1) Adjustable PVC Shelf.	1
65-04-2100	< >	Left Rear Base Cabinet W/Hinged Solid/Polycarbonate Doors Double Side Hinged Solid Surface Doors With Vented Polycarbonate Inserts. M1 Latch on Rearward Door. Includes (1) Adjustable PVC Shelf.	1
65-04-6600		Delete Standard Telemetry Area Cabinet	1
65-04-8100	<	Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1

PART NO	S	DESCRIPTION	QTY
65-04-8500	<	Action Area Cabinet With Sliding Polycarbonate Door Include A Removable Panel Above Cabinet "F" As Drawn.	1
65-05-0100	S <	Pfund Style Fold-Down Locking Drug CURBSIDE FOOT END ABOVE COUNTER TOP. To Include Gas Hold-Open On Each Side. Mc Master #6521K31 (Requires 2). Mc Master Ends #9416K86 (Requires 4). Austin #L8800SS90 Locking Paddle Latch. Does Not Include Lift-Out Drug Tray Unless Otherwise Ordered.	1
65-05-2100	<	Delete Standard Lower Action Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-2500	< >	Action Area Tip-Out Trash Cabinet Below Streetside bench. Includes pull handle.	1
65-05-4600	<	SS Squad Bench w/Contoured Ergo Backrest & 4-Point Seat Belt ILOS CPR Seat Includes 1 Set of Black IMMI 4-Point Seat Belts. Includes 3 Cot Restraints & Retractors. Backrest to be #MV104 Cobalt.	1
65-05-8005	< >	Rear Facing Valor Sewn Attendant Seat w/Child Safety Seat On Pedestal/Swivel Valor Sewn Seat with Child Safety Seat & Life Line Logo Color: Wedgewood (Dark Blue) To Match Cushion Color. Includes 4-Point Belt Question: Will there be an O2 Bottle Attached to the Head of the Cot? Yes. Note: This Will Be 8.50" From The Left Wall Like Their Previous Unit.	1
65-05-9795		Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea)	2
65-06-2000	< >	Rear Facing Electrical Cabinet And Door Vent accordingly.	1
65-07-0000	< >	Right Front Upper ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Doors With Vented Polycarbonate Inserts. Dual M1 Latches. Includes (1) Adjustable PVC Shelf.	1
65-07-5000		Delete Right Front Lower ALS Cabinet Doors	1
65-07-5300	<	Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens. M1 Latch, Lower Left Corner.	1

PART NO	S	DESCRIPTION	QTY
65-07-9000	<	<p>> Add Cabinet In The Lower Walk-Thru Area With Solid Surface Corian Counter Top Area. Standard Lip. NO DOORS, THIS IS WHERE THE DOMETIC REFRIGERATOR WILL BE INSTALLED.</p>	1
65-08-0500	<	<p>CS Squad Bench w/Contoured Ergo Backrests w/1 Piece Lid & No Divider Includes 1 Set Of Black IMMI 4-Point Seat Belts. Center Seat As Much As Possible. Backrest to be #MV104 Cobalt.</p> <p>NOTE: DROP STORAGE AT FOOT END UNDER BENCH LID.</p>	1
65-08-3600	<	<p>> Superliner Head Of Squad Bench Work Cabinet Includes Corian Countertop. NO LIP.</p>	1
65-08-6500	S	<p>< > Cabinet At The Foot End Of The Squad Bench Left Hinged Framed Poly Door with M1 Latch. Includes (1) Adjustable PVC Shelf. Cabinet "N", Above the drop down drug.</p>	1
65-08-8500	<	<p>Squad Bench Headrest Cushion</p> <p>> Two Section Bandage Cabinet With Speed Load Doors With Positive Lock Feature. Specify Cabinet Depth: 6.50".</p>	1
65-09-2000	<	<p>CPI Latching Single Glove Box Holder w/Clear Lid In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Clear Latching Plexiglass Door. Specify Location: ABOVE REAR ENTRY DOORS.</p>	1
65-09-6010	<	<p>> 100" Long Formed Streetside Ceiling Grab Rail (Powder Coated) Safety Yellow.</p>	2
65-09-8600	<	<p>> 100" Long Formed Curbside Ceiling Grab Rail (Powder Coated) Safety Yellow.</p>	1
65-09-9510	<	<p>> 100" Long Formed Curbside Ceiling Grab Rail (Powder Coated) Safety Yellow.</p>	1
65-10-0500	<	<p>Formed "L" Door Assist Rails Mounted On The Hinge Side</p>	1
65-10-2000	S	<p>< > Formed Assist Rail At The Head End Of The Squad Bench 16" Rail ILOS.</p>	1

PART NO	S	DESCRIPTION	QTY
65-10-3000		Delete Formed Assist Rail On The Left Rear Wall	1
65-10-5000	<	Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1
65-10-9000		Southco M1 Stainless Cabinet Latches	1
65-11-3000	<	Cabinet Drawer (Ea) Specify Cabinet Locations: (1) Foot End Of The Curbside Squad Bench Cabinet. Drawer To Open Over The Squad Bench. Drawer To Include 3 Poly Dividers. Side X Side. (2) In The Cabinet At The Head End Of The Curbside Squad Bench. Top Drawer To Be The Same Height As The Rear Drawer. Both Drawers To Open Over The Squad Bench. Both Drawers To Include 3 Poly Dividers. Side X Side. (1) Head End Of The Streetside Squad Bench. Drawer To Open Over The Squad Bench. Drawer To Include 3 Poly Dividers. Side X Side.	4
65-11-3805	<	Adjustable Drawer Divider (Ea) Adjustable/Removable Divider with Binding Strip Specify Drawer Locations: (3) Foot End, Curbside Squad Bench Cabinet Drawer. Side X Side. (6) Both Drawers In Cabinet At The Head End Of The Curbside Squad Bench. Side X Side. (3) Drawer At The Head End Of The Streetside Squad Bench. Side X Side.	12
65-13-0600	< >	Squad Bench Recessed Drop-In Sharps/Waste Containers Note to Production: Recessed Under The Foot End Of The Street Side Squad Bench. Accessed By Lifting The Foot End Squad Bench Cushion. Includes Gas Hold-Open On The Squad Bench Lid Section. Use #8970 Sharps Container.	1
65-13-1600	< >	Slide Out Sharps And Waste BioWaste Drawer Specify Cabinet Location: (1) Lower aisle side of the cabinet at the head end of the curbside Squad bench, similar to previous truck #4990. Install #8970 Sharps container USE SAME SLIDE LENGTH AS WAS USED ON #4990. M1 Latched.	1
65-15-0006	>	Interior Laminate: White Nebula 4621-60	1
65-17-0004		Seam Sealed Cushions Vinyl: Heidi Lapis Blue HEI-6812 (Dark Blue)	1
65-18-0002		Welting Between Cabinets: Light Gray	1
65-19-0001	< >	Counter Tops (Main): Stormy Gray (Dusk) Standard with 1" Lip, Unless Specified.	1

PART NO	S	DESCRIPTION	QTY
65-20-0003		> Counter Tops (Accent Stripe): Laguna	1
65-21-0011		< > Lonseal Floor Selection: Loncoin II Flecks #152 Sapphire Specify: Rolled Up 4" On Both Sides Unless Otherwise Specified.	1
65-CS-0950		< Additional Counter Top (1) Cabinet At The Foot End Of The Squad Bench. Standard Lip.	1
65-CS-1000	S	< Add Angled Cabinet For The Rear Switch Panel Mounted At The Head End Of The Squad Bench Below The Bandage Cabinet. (Requires 8" Deep Bandage Cabinet).	1
65-DL-0100	S	< Removable Panel in Action Area Specify Custom Option: Install solid surface removable panel in action area for termination of prewire. This will be above the action area cabinet. Similar to 4990.	1
65-DL-0200	S	< Atomic Clock on Rear Squad Bench Wall Atomic Clock On Street Side Rear Squad Bench Wall (Battery Clock) Install 10" LaCrosse Atomic Clock, Surface Mount Above The Footend Of The Streetside Squad Bench. La Crosse WT-3102B 10-Inch Atomic Wall Clock.	1
65-DL-0300	S	< Simplex Push Button 900 Series Lock Specify Custom Option: Install on the Top RFS Cabinet Door. Oval Lock. Ref. 4990.	1
PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS			
70-01-0000		Static Module Fresh Air Intake Vent	1
70-01-1000		12 Volt Powered Exhaust Fan	1
70-01-1500		< Cabinet Mounted Free Blow 12 Volt Pro Air Rear Heat/AC Unit Includes Digital Temperature Display. Includes Climate Indicators For Heat/AC/Fan Speed. Includes High-Medium-Low Fan Speeds.	1
70-01-2400		< Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1
70-01-3500		Move Heat/AC Unit To Over Walk-Thru Area	1
70-01-4500		< ProAir Undermount Auxiliary 12 Volt A/C Condenser (Type I Modular Body) Life Line Will Specify Mounting Location: Below D2 Compartment Install Rubber Debris Flaps On The Forward And Rear Edges.	1

PART NO	S	DESCRIPTION	QTY
		ProAir Model 106.	
70-01-6000	<	Yellow Certifoam High Density Insulation Body/Floor/Doors (R-6) GAS CHASSIS' INCLUDE THERMOTECH HEAT BARRIER PART #F18084. THIS GOES ON THE HEAT SHIELD THAT GOES OVER THE AXLE. THIS ALSO GETS THE THERMO HEAT INSULATION BLANKET ON THE BOTTOM OF THE FLOOR AND GOES FROM THE FRONT OF THE MODULE TO THE FUEL TANK.	1
70-01-6600	>	Automotive Grade Undercoating Under Module Body ***OXYGEN SYSTEM***	1
75-01-0500		Chemtron Style Action Area Oxygen Outlet	1
75-01-2510		Chemtron Style Ceiling Mounted Oxygen Outlet Mounted In Ceiling Center Strip	1
75-01-4500		Chemtron Style Right Wall Mounted Oxygen Outlet	1
75-01-8000	>	Interior Oxygen Access/Viewing Door	1
75-01-8600	<	"M" Oxygen Tank Bracket In Streetside Front Compartment D-1, mount on wall #2 close to wall #3.	1
		SUCTION SYSTEM	
80-01-0000		12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-2600		Suction Outlet Deleted For SSCOR 22000 Or VX-2 Suction Unit	1
80-01-7500	<	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set. Deletes Standard Suction Outlet #80-01-15.	1
		PAINT	
85-00-0100	< >	Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated Paint Warranty.	1
85-00-0500	<	O.E.M. White Chassis Color Ship Loose Tube Of O.E.M. White Touch-Up Paint With The Unit.	1
85-01-1000	<	O.E.M. White Module Body Color Touch-Up Paint Is Included For Colored Module Body Stripes.	1
85-01-7000	S < >	Add "Z" Pattern To Beltline Stripe Match Belt Line Stripe Color. Red FLNA 32210	1
85-02-8100	S <	Lower Cab And Module Painted Two-Tone (50/50 Design) Similar to #4990	1

PART NO	S	DESCRIPTION	QTY
		<p>Lower Cab And Module Painted One Color And The Upper Cab And Module Body Painted Another Color. This Paint Line Is Painted Thru The Door Gaskets Into The Jamb. Specify Upper Color: Includes "A", "B" Posts, Cab Roof.</p> <p>MATCH LAST UNITS COLORS OEM WHITE. LOWER - Red FLNA 32210</p> <p>CHASSIS HOOD - Red FLNA 32210</p> <p>SEND OUT PAINT SPRAY SAMPLES FOR APPROVAL. Sent 12-22-20 Approved 01-20-21 Via e-mail.</p>	
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1
85-02-9710		<i>Shoreline Cover Plate To Be Painted To Match Module</i>	1
85-03-0000		> Standard 1/4" Black Reflective Edge Pinstripe	1
85-03-3500		< <i>1" Scotchlite Striping (Per Foot)</i> Specify Color And Location: 1" WHITE REFLECTIVE STRIPE ABOVE AND BELOW 8 " White Reflective STRIPE WITH A 1/2" GAP BETWEEN THE 8" AND 1". PAINT WILL ADJUST LOCATION OF STRIPE DUE TO CHANGE OF CHASSIS.	126
85-03-5500		< <i>8" Scotchlite Striping (Per Foot)</i> Specify Color And Location: WHITE REFLECTIVE (to follow paint line) NOTE TO DEALER/CUSTOMER: PAINT WILL ADJUST LOCATION OF STRIPE DUE TO CHANGE OF CHASSIS.	65
85-04-0600		< > <i>6" Wide Rear Wall Chevron (Two Color-Full Wall)</i> Specify Tape Color #1: 4092 SOLID RED Specify Tape Color #2: 4083 FLOURESCENT YELLOW GREEN. 3M DIAMOND GRADE CHEVRON.	1
85-04-1200		< > <i>Diamond Grade Chevron Upgrade</i> CHEVRON , TWO COLOR FULL REAR WALL. DOES NOT INCLUDE REAR ENTRY DOORS.	1
85-DL-0100	S	< <i>Paint Antenna Pod On Front Module Wall</i> Primed and painted White.	1
EMBLEMS AND DECALS			
90-01-0000		< <i>Federal Star Of Life/Ambulance Decal Package</i> Install Roof Star Of Life Decal. INSTALL STARS OF LIFE (2) 4" Star Of Life Decals. (2) 12" Star Of Life Decals. Rear Entry Doors. (2) 18" Star Of Life Decals. Low on P4 and D3.	1

PART NO	S	DESCRIPTION	QTY
90-01-1100	<	(3) 6" AMBULANCE Decals. (1) 4" Reverse AMBULANCE Decal. Install these decals, similar to 4990. "NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200 90-01-5100	<	No Other Decals or Lettering Included Unless Specified Below Install 3/4" White Reflective Tape Around Side And Rear Entry Doors KKK-F Certification Requirement.	1 1
90-01-6500	< >	4" Scotchlite Reflective Lettering (Ea) Specify Lettering Location: Install 4" White Reflective Lettering Without Outline: Each Side Of The Module Rearward of Rear Tires below Stripe. Fit as needed. "ADVANCED LIFE SUPPORT" Rear Of The Module on Doors "CALEDONIA" Rear Of The Module on doors "FIRE" <hr/> Each Side of Module (4 inch) "MED-##" (RED LETTERING/BLACK OUTLINE) "MED-##" installed on all 4 sides in the locations similar to 4990. Match current Font. Similar to previous truck, all rear lettering must be on doors and not wall area.	80
90-01-7000	< >	6" Scotchlite Reflective Lettering (Ea) Install 6" Red Reflective Lettering With Black Outline: Arched Above Each Side. "CALEDONIA" Straight Line Below Caledonia. "FIRE-RESCUE SQUAD" WHITE REFLECTIVE WITH BLACK OUTLINE Lower Rear Doors "RESCUE SQUAD"	122

PART NO	S	DESCRIPTION	QTY
90-DL-0100	S	< Ship Loose "22" (4 inch) "###" (RED LETTERING/BLACK OUTLINE) Match current Font. Make One Number of "###".	4
95-DC-LL01	S	< SCBA Brackets Superlor Flamefighter 26751. See Option 25-CS-0500.	3
95-DC-LL02	S	< Stryker Power Load System Specify Custom Option: DEALER SUPPLIED POWER LOAD	1
95-DC-LL03	S	< Stryker Power Cot (Hi Config) Specify Custom Option: DEALER SUPPLIED POWER PRO COT	1
95-DL-0100	S	Delivery	1
END OF QUOTE/PRODUCTION ORDER			
95-SP-0100		< 1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$75.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0200		< 1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$75.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0600		Change After Sign-Off (Published Price + 50%)	1
95-SP-0700		Change After Production Start (Published Price + 75%)	1
95-SP-0800		Change After Production Completion (Published Price + 100%)	1
	<	***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles.	
THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE			

PART NO	S	DESCRIPTION	QTY
		CUSTOMER SPECIFICATIONS.	
		Date Of Order:	
		Franchised Distributor:	
		Quote Number:	
		Ordered By: _____	
		Total	315,928.00