RESOLUTION NO. 2021-19

RESOLUTION AUTHORIZING THE VILLAGE OF CALEDONIA TO PROCURE A BUCKET TRUCK

WHEREAS, the Village of Caledonia has this item in the Capital Improvement Plan and in the Capital budget in 2021 as a replacement for 1994 3500 HD Chevy.

WHEREAS, the Village of Caledonia solicited quotations from various vendors and received three submissions, results are as follows:

Vendor	Bid price
Runnion Equipment Company	\$119,711
Utility Sales & Service	\$121,002
TruckMax	\$121,032
Custom Truck – One Source	\$119,650

WHEREAS, the Village of Caledonia is requesting permission to procure a bucket truck from Runnion Equipment Company, they being the lowest, responsive, responsible responder.

WHEREAS, the Village of Caledonia has available funding within Capital Projects to fund this project.

WHEREAS, the Village of Caledonia intends to dispose of the 1994 Chevy 3500 HD by listing for sale on Wisconsin Surplus.

WHEREAS, the Village Finance Committee has reviewed this request and recommends that the Village Board authorize Village staff to procure a bucket truck from Runnion Equipment Company.

NOW, THEREFORE, BE IT RESOLVED by the Caledonia Village Board that Village Staff by authorized to procure a bucket truck from Runnion Equipment Company, they being the lowest, responsive, responsible bidder.

BE IT FURTHER RESOLVED THAT all Village officials, officers, and employees are authorized and directed to take such steps as are lawful and necessary in furtherance of the Agreement.

Adopted by the Village Board of the Village of Caledonia, Racine County, Wisconsin, this day of February, 2021.

Attest:

VILLAGE OF CALEDONIA

Jim Dobbs, Village President

Joslyn Hoeffert, Interim Village Clerk

FISCAL NOTE RESOLUTION NO: 2021-19

Exhibit "A"

Fiscal Year: 2021

Account Name	Account Number	Current Balance	Transferred out	Transferred in	Proposed Expenditure	Remaining
Capital Projects: Highway vehicles	400-41-65040	130,000.00	-	-	119,711.00	10,289.00
Totals:		130,000.00	-	-	119,711.00	10,289.00



Sales, Service & Rentals

RUNNION EQUIPMENT COMPANY

6201 EAST AVENUE • HODGKINS, IL 60525 PHONE (708) 447-3169 • 1-800-824-6704 • FAX (708) 447-3730 www.runnionequipment.com

Sold To:

Village of Caledonia

Datefanuary 25, 2021

PS432

Address:

6922 Nicholson Rd Caledonia, WI 53108 Ph: 262-835-6408

Quote No.

Attn: Todd

Page 1 of 3

We are pleased to offer the following quotation for your consideration: Dur-A-Lift DTAX-42 equipped as follows: - Category D Insulated - 47' working height - 28' side reach - Main boom fiberglass insert - Chassis isolator insert - Extension travel — 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-	QUANTITY	DESCRIPTION	PRICE
One (1) Dur-A-Lift DTAX-42 equipped as follows: Category D Insulated 47' working height 28' side reach Main boom fiberglass insert Chassis isolator insert Extension travel – 110'' 24'' x 24'' x 42'' basket with door 180° basket rotator 350# basket capacity Access step mounted on tail shelf for easy basket access Continuous rotation Four-axis non-HERC single hand control Proportional controls Start/stop from the basket Tool circuit at basket Lower controls with override located at the turntable 12V DC backup system Timbren load boosters torsion bar on front axle 24'' x 94'' steel tail shelf steel with walk up 10'' belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2-		We are pleased to offer the following quotation for your consideration:	
- Category D Insulated - 47' working height - 28' side reach - Main boom fiberglass insert - Chassis isolator insert - Extension travel – 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle - batteries - 1 year parts and labor warranty Continued on Page -2-		we are pleased to offer the following quotation for your consideration.	
- 47' working height - 28' side reach - Main boom fiberglass insert - Chassis isolator insert - Extension travel – 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle - batteries - 1 year parts and labor warranty Continued on Page -2-	One (1)	Dur-A-Lift DTAX-42 equipped as follows:	
- 47' working height - 28' side reach - Main boom fiberglass insert - Chassis isolator insert - Extension travel — 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- 28' side reach - Main boom fiberglass insert - Chassis isolator insert - Extension travel – 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-		- *	
- Main boom fiberglass insert - Chassis isolator insert - Extension travel – 110" - 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- Chassis isolator insert - Extension travel – 110" - 24" x 42" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- Extension travel – 110" - 24" x 24" x 42" basket with door - 180° basket cotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- 24" x 24" x 42" basket with door - 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- 180° basket rotator - 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - I year parts and labor warranty Continued on Page -2-			
- 350# basket capacity - Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - I year parts and labor warranty Continued on Page -2-			
- Access step mounted on tail shelf for easy basket access - Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- Continuous rotation - Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
- Four-axis non-HERC single hand control - Proportional controls - Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
 Proportional controls Start/stop from the basket Tool circuit at basket Lower controls with override located at the turntable 12V DC backup system Timbren load boosters torsion bar on front axle 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- 			
- Start/stop from the basket - Tool circuit at basket - Lower controls with override located at the turntable - 12V DC backup system - Timbren load boosters torsion bar on front axle - 24" x 94" steel tail shelf steel with walk up - 10" belt step and aluminum pool handle for easy access to tail shelf - Inclinometer - 2" pintle ball with 7-pin trailer plug - 5# fire extinguisher - Triangle reflector kit - 2000W inverter with 110V outlet at rear, does not include deep cycle batteries - 1 year parts and labor warranty Continued on Page -2-			
 Tool circuit at basket Lower controls with override located at the turntable 12V DC backup system Timbren load boosters torsion bar on front axle 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 Lower controls with override located at the turntable 12V DC backup system Timbren load boosters torsion bar on front axle 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order		•	
 12V DC backup system Timbren load boosters torsion bar on front axle 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 Timbren load boosters torsion bar on front axle 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 24" x 94" steel tail shelf steel with walk up 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 10" belt step and aluminum pool handle for easy access to tail shelf Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 Inclinometer 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 2" pintle ball with 7-pin trailer plug 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 5# fire extinguisher Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 Triangle reflector kit 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
 2000W inverter with 110V outlet at rear, does not include deep cycle batteries 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
batteries - 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
- 1 year parts and labor warranty Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
Continued on Page -2- The terms and conditions appearing on the reverse side of this Sales Order			
The terms and conditions appearing on the reverse side of this Sales Order		, ₁	
The terms and conditions appearing on the reverse side of this Sales Order		Continued on Page -2-	
The terms and conditions appearing on the reverse side of this Sales Order			
The terms and conditions appearing on the reverse side of this Sales Order			
		The terms and conditions appearing on the reverse side of this Sales Order	



Sales, Service & Rentals

RUNNION EQUIPMENT COMPANY

6201 EAST AVENUE • HODGKINS, IL 60525 PHONE (708) 447-3169 • 1-800-824-6704 • FAX (708) 447-3730 www.runnionequipment.com

Sold To:

Village of Caledonia 6922 Nicholson Rd

Dat**∳anuary 25, 2021**

Address:

Caledonia, WI 53108

Quote No.

Ph: 262-835-6408

PS432

Attn: Todd

Page 2 of 3

	Page 2 of 3	
QUANTITY	DESCRIPTION	PRICE
One (1)	 Knapheide service body equipped as follows: Steel body painted white 94" overall width 132" overall length Street Side/Curb Side Compartments 1V = 34 ¼" W x 40" H -20" D Street Side/Curb Side Compartments 2V = 21" W x 40" H - 20" D Street Side/Curb Side Compartments H=52 ¾" L X 18 ½" H - 20" D Street Side/Curb Side Compartments 3V=23 1/4" L x40" H - 20" D LED compartment lights 	
	MOUNTED ON:	
One (1)	2021 Ford F550 4x4 equipped as follows:	
	 19,500 GVWR 7.3L V8 gas engine 350 hp at 3900, (468 lb./ft. @ 3900 RPM) TorqueShift 10-speed automatic transmission Engine block heater Front and rear 19.5" steel wheels Tires – 225/70Rx19.5G BSW traction Front axle 7,500lbs Rear axles 13,660lbs 4-wheel ABS brakes Air conditioning Platform running boards 	
	Continued on Page -3-	
	The terms and conditions appearing on the reverse side of this Sales Order are made a part hereof the same as if rewritten at length herein.	



Sales, Service & Rentals

RUNNION EQUIPMENT COMPANY

6201 EAST AVENUE • HODGKINS, IL 60525 PHONE (708) 447-3169 • 1-800-824-6704 • FAX (708) 447-3730 www.runnionequipment.com

Sold To:

Village of Caledonia

Dat**∮**anuary 25, 2021

Address:

6922 Nicholson Rd Caledonia, WI 53108

Quote No.

PS432

Ph: 262-835-6408 Attn: Todd

Page 3 of 3

QUANTITY	DESCRIPTION		PRICE
	 Trailer brake controller Rearview camera Power steering Cruise control 40-gallon fuel tank SYNC communication with Bluetooth, AM/FM Power windows and locks with keyless entry 40/20/40 split bench seat- vinyl Color white 		
		Price:	\$ 119,711.00
	Options, not included, initial if selected:		
	 1 additional year warranty for lift (2 years total) 2021 F550 84CA 6.7L Diesel 4X4 	Add: Add:	\$ 2,000.00 \$ 8,408.00
	All prices F.O.B. Caledonia and subject to all applicable tax. firm for 30 days, subject to prior sale. TERMS: 10% deposit at order. Balance due upon notification that unit is ready for de	time of	
	The terms and conditions appearing on the reverse side of this Sales Order are made a part hereof the same as if rewritten at length herein.		



412 Randolph Drive, Appleton, Wisconsin, 54913, Office (920) 788-2699 Fax (920) 788-4699

Quote Date: 1/15/2021 Quote No: 21-01-05

Todd Ripley Calendonia 6922 Nicholason Rd Calendonia, WI 53108

Dear Mr. Todd Ripley,

UTILITY SALES and SERVICE, INC. is pleased to submit the following quote. Please review before signing this purchase contract. After signing this contract, any and all changes will result in a change order. If a change order is required, cost may be added to the total purchase cost.

The above listed customer, Cooperative, or municipality hereby agrees to purchase the Vehicle per Utility Sales and Service, Inc. Quotation No. listed above, and dated above. Further, by executing this agreement, the undersigned asserts that he/she has the authority to commit the resources of the customer listed above.

Pursuant to this agreement, The above listed customer asserts that this sale qualifies for sales tax exemption under ______ And all use of the Vehicle quoted conforms to the Wisconsin Administrative Tax Rule. If ever in the future it is determined that any tax, penalties or interest are due, they are the sole responsibility of the listed customer.

Price Information

AERIAL.	BODY.	ACCESSORIES	& 1	INSTALLATION:
and the second	DODI	ACCEDUONIES	CC /	UNDIALLATION.

CHASSIS: Ford F-550 4x2 Gas Add 2nd Alt & Batt

\$81,823

NET PRICE F.O.B.

\$39,179.00

\$121,002

Please indicate which option (if any) you are selecting to by placing a check in the box next to the desired selection. Add option(s) price to NET total.

CHASSIS OPTION: Ford F-550

2021 4x4 Reg Cab Gas (Can still get for 2021 build)

\$4,976.00

OPTION#1- Ladder Tunnel LT0820132

\$1,030

Price with Options: #125, 978

Terms & Conditions

1 Your sales terms for this order:

Net 30 days

2 Estimated delivery date:

12/31/2021

3 This quote is valid until date:

3/16/2021

4 This quotation does not include any applicable sales taxes, title or license fees.

USSI do not guarantee to match the color of the body to the chassis cab or other painted components. A close match can be achieved by the customer providing an approved, non-metallic dry sample of paint. When metallic paint is used, the closest possible match can only be achieved by painting the body with metallic paint. Contact USSI for cost of painting the body, if desired.

Body/0	Compartment Accessories		
QTY	Description	Location	Special Instructions
1	Under Structure	Under Structure	Steel
1	Floor material	None	Aluminum
2	Alum Rock Guard	Front	Marker lights installed 1" above
1	Non-Skid Compt Tops	ALL	
1	LED Light Kit W/Chassis Adapter	Ship Loose	
7	Locking Swivel Hooks	First Vertical (SS)	Top of Compt 2-3-2
2	Adjust Shelf W/Dividers	Second Vertical (SS)	
1	Open	Horizontal (SS)	
2	Adjust Shelf W/Dividers	Rear Vertical (SS)	
2	Adjust Shelf W/Dividers	First Vertical (CS)	
2	Adjust Shelf W/Dividers	Second Vertical (CS)	
1	Fixed Shelf W/Dividers	Horizontal (CS)	Centered
2	Adjust Shelf W/Dividers	Rear Vertical (CS)	
1	Rope Light Compt Lighting	ALL	Top and Sides of all compt
2	Wheel Chock Holder	cs	CS Fender
1	Tailboard	Rear	Rear of cargo area
2	Alum Grip Strut Top	See Special Instructions	Top of Both Sides for walking area
			i - p wanking area

Other				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
1	Bucket Cover 24"X30" W/Control	Click here ancel.	CB-7 W/C	
1	Bucket Liner W/Inside Step 24"X30"X42"	Click here once.	L3042S	
1	Bucket Rest 30" Pivot	Click here once!,	6003059	
1	Paint Non-Skid Black	Click here once.	AS-150	Walking Surfaces
2	Rubber Wheel Chocks	Click here once!,	FA-26-R	
1	Tailshelf Step AC Streetside	Click here once),	6003056S	
1	Tailshelf Step AC Curbside	Click here once!,	6003056C	
1	Rubber Mounted Drop Down Step	Click here once!_	6003004	Under CS Step
1	Grab Rail 24" W/Alum Base	Click here once!,	6003117	CS of tailshelf for access
2	Mudflap 16"X24" USSI	Click here once!	B16LXC,MF-BRKT	Behind rear wheels
2	Outrigger Pad 18"X18" With Holder	Click here once!	D1818,6003005B	1 under each S1 & C1
1	Cone Holder 24" Pin Style	Click.once here).	6003063	On SS Step. See Pics

Towing				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
	Class 5 44" Hitch W/2" Receiver Tube &			
1	Mounting Plates	Click here once!	ZZ1801050L/15928	
1	6 Prong Round Socket	Click here once!,	1235	

Lights				
QTY	Description	Hyper Link to Photo/Drawing	<u>Part Number</u>	Mounting Location/Special Instructions
				2 on the grille/1 on each side of the body above the front compt in the corners. Rocker switch in
4	SYFLAT Surface Mount Led Strobe Light	Click here ancet.	SYFLAT6-AA	the chassis upper console.
2	SYFLAT Surface Mount Led Strobe Light	Click here ance!	SYFLAT6-AA	On tailshelf. Same switch as SYFLAT's.
1	Work Light LED W/O Switch W/Bracket	Click here once!	SYTLED1400R-FL, SYMB-BB	Top of pedestal facing the cargo area. Activated with compt lights.
1	Traffic Light LED Federal Signal	Click here once!,	ZZ320782	Rear of tailshelf
1	Traffic Light Controller Federal Signal	Click here once!,	ZZ331105	On dash
1	Guard Alum Federal Signal Traffic Light	Click here once!	6006042	Above arrow light
1	Mini Light Bar Amber SYMICRO	Click here once!	SYMICROMBP-A	3rd brakelight bracket
1	3Rd Brake Light Strobe Mount F Superior Signal	Click here once!.	ZZSYFRM	

CLARIFICATION: When Utility Sales and Service, Inc. (USSI) is requested to provide a chassis in response to a bid specification we do so as a service to our valued customer. USSI does not assume the chassis manufacturer's warranty. In addition, USSI does not provide transportation to or from our customer's preferred chassis dealer. USSI is responsible for assuring that the chassis conforms to the letter of the written specification (if said spec. is appropriate, available and feasible) in the bid request provided by our customer. USSI administers all equipment and body manufacturer's warranties applicable to components we install onto the chassis and provide a one-year warranty (from the date of delivery of the completed unit) on USSI workmanship.

This Purchase Contract is subject to the STANDARD TERMS AND CONDITIONS OF SALE-USSI HOLDINGS, INC., d/b/a Utility Sales and Service-EQUIPMENT & VEHICLES (the "Terms and Conditions"), as found on our webpage for equipment & vehicles terms & conditions or , PARTS AND SERVICE (the "Terms and Conditions"), as found on our webpage for parts & service terms & conditions or by contacting Utility Sales & Service Sales Department at 920-788-2699 to obtain copies. The terms of the Terms and Conditions are incorporated into herein and made part hereof and shall apply to this purchase and sale except where special requirements are stated elsewhere; in such cases, the special requirements shall apply. Delivery and acceptance of the equipment and/or vehicle subject to this invoice shall constitute unconditional acceptance of the Terms and Conditions. Delivery of the parts or completion of the service subject to this invoice shall also constitute unconditional acceptance of the Terms and Conditions.

Name: (Print): Todd Ripley		TITLE:
SIGNATURE:		DATE:
	Please verify Contact information below is the Current Inform	ation for your Unit.
Shipping Address: 6922 Nicholason Rd Calendonia, WI	53108	Billing Address: 6923 Nicholason Rd Calendonia, WI 53108
Purchase Order Number		
<u>Contact Number:</u>	262-498-5638	Email Address: tripley@calendonia-wi.gov
Thank you for considering UTILITY SALES & SERVICE	E, INC. to meet your needs in utility equipme	nt. We look forward to serving you.
Sincerely,		
	Mati Wedig	

Outside Sales Rep: Matt Wedig (262)443-4416, Mattw@utilityssi.com Inside Sales Rep: Jason Janquart, (920) 788-2699 Jasonj@utilityssi.com

7



HOMESTEAD

Date:

11/20/2020

Salesperson: Tammi Schemmel

Manager:

Alejandro Hernandez Jr

FOR INTERNAL USE ONLY

BUSINESS NAME	Village of Caledonia	1			Home Phone : (262) 835-64	25
CONTACT	Bill Jacoby					
Address :	5043 Chester Lane RACINE, WI 53402 RACINE CO				Work Phone : (262) 835-64	25
E-Mail :	bjacoby@caledonia	-wi.gov			Cell Phone : (262) 835-64	25
VEHICLE						
Stock # : N20	013H New / I	Jsed: New	VIN: 1FDUF5H7	3LDA06749	Mileage: 10	
Vehicle : 202 0	Ford F-550 Chassis		Colo	r : White	<u> </u>	
Type :				4X4		
Mar	ket Value Selling Price				119,970.00	
Taxa	able Fees (Estimated)				403.00	
Doc	Fee				259.00	
Tax					7,272.38	
Non	Tax Fees				400.00	
Cas	h Deposit		TOTAL	- 18	121032 .00	
Bala	ince		, .		128,304.38	

Management Approval:

By signing this authorization form, you certify that the above personal information is correct and accurate, and authorize the release of credit and employment information. By signing above, I provide to the dealership and its affiliates consent to communicate with me about my vehicle or any future vehicles using electronic, verbal and written communications including but not limited to eMail, text messaging, SMS, phone calls and direct mail. Terms and Conditions subject to credit approval. For Information Only. This is not an offer or contract for sale.



CHASSIS SPECS

orqShift 6-Speed Automatic w/ Engine 6.7L 4V Heavy Duty Hemi **Fransmissior**

Provision Front Axle

With anti-roll bar, HD Shocks 4.89 Limited Slip Ratio Mono-Beam

19.5 Painted Argent Steel Wheels 225/70Rx19.5G

Rear Axles

19.5 Painted Argent Steel Wheels 225/70Rx19.56 4.89 Limited Slip Ratio Shock Absorbers

Payload Plus Upgrade Package

4 Wheel Power Disc Brakes W/

Anti-Lock Brake System Hydro Boost (DRW) Fuel Tank

40 Gallon Aft. Axle Tank

Chassis Features

AM/FM Stereo W/ Clock Oxford White Paint /inyl 40/20/40 Seal

Chrome Bumper W/ [2] Tow Hooks Switches Power Equipment Group Instrument Panel W/ Upfitter Air Conditioned

Fele TT Mirror

Oxford White Electric Brake Controller

L×40" H×94" W Body Specifications:

Body Dimensions:

40 Inches-Compartment Height 20 Inches-Compartment Depth 54 Inches-Load Space Width 24 Inches-Top of Body to the Top of the Floor

18 inches-Horizontal Compartment Height 6 Inches-Wheel Well Box Height

Body Material: Main Body 16 Gauge Galvanneal Steel Floor And Understructure: Cut Out In Bed Area For Customer

Supplied Aerial/Digger
12 Gauge Hot Rolled Treadplate - Floor
6 'Structural Steel Channel
2 X 2 Treadplate Angel At Front Bulkhead
U-Bolt Mounting Brackets
3" x 8" Cutouts in Frame Channel For Routing

Accessories: S Automotive Rotary Type Door Latches Chain Stops All Doors Rubber Rolled Crown Type Fenders Automotive Bulb Type Weather-stripping Master Door Lock System

Protective Undercoating Powder Coat White

1st Vertical - 30" W X 40" H X 20" D 2nd Vertical - 24" W X 40" H X 20" D Horizontal Compartment -50" W X 18" H X 20" D Rear Vertical - 26" W X 40" H X 120" D Hot Stick Shelf - 132" Streetside Compartments:

2nd 24" Access Steps Horizontal - 50" W X 18" H X 20" D Rear Vertical - 26" W X 40" H X 20" D Curbside Compartments: 1st Vertical 30" W X 40" H X 20" D

Fuel Filter Cutouts:
Fuel Filter Cut Out in Wheel Panel , Streetside
Tailshelf - 12 Ga Treadplate 30" L X 94" W X 6" H
Tailshelf Rear Lighting - Peterson LED
Grab Handles [1] Bott-On Chrome, [Ship Loose) Wheel Chock Storage: (2) One On Each Side Access Steps : Tail Shelf Curbside

Interior Lighting LED in all compartments Additiional Items

PLEASE NOTE:

IN THE EVENT MODIFICATIONS ARE NECESSARY, ADDITIONAL CHARGES WILL APPLY. CUSTOMER WILL BE NOTIFIED BEFORE PROCEEDING. 800-739-7150 www.customtruck.

www.customtruck.com

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL

DISCLAIMER: Specifications are believed to be correct, but may contain errors and/or omissions. Pictures are representative and may not be idenitical.

Terex LT40 Aerial Device

EQUIPMENT SPECS

Aerial Device Specifications

Working Height - 45'6" Lower Controls - Individual Levers @ Turntable Lower Boom - Filament Wound High Strength Fiberglass Insert Providing Insulation

Upper Boom - Filament Wound High Strength Fiberglass Boom Providing Insulation Gap Boom Rest w/ Ratchet Style Tie Down

Rotation Self-Locking Worm Gear

Rotation Drive Provided And Equipped With Bi-Derectional Motor.

Continuous Unrestricted Rotation

Rated for 46KV Category C Machine in Accordance w/ ANSI/SIA A92.2-2009 Full Pressure Open Čenter Hydraulic System Powder Coat Painted White

Two Complete Service Manuals Warning Decals

Pedestal w/ 20 Gallon Integral Tank 24" x 30" x 42" End Mounted Platform w/ Door Safety Harness and Lanyard Insulated Platform Liner Tested at 50KV AC

Waterproof Platform Cover

Auxiliary Power

Boom Tip w/ 4-Function Controls and Platform Rotator

Upper Controls - "Control Plus" Single Stick Controller Platform Rated @ 400 lbs Hydraulic Platform Rotator Hydraulic Platform Tilt @ Lower Control

Hydraulic Tool Outlets @ Platform

Engine Stop/Start Controlled At Platform And Lower Controls



SALE PRICE: \$119,650

FET N/A

Plus applicable taxes and shipping charges Ex Works: Union Grove, WI

QUOTE NUMBER: MTT1.29-A_21

EXPIRATION DATE: 02/29/2021